OOO «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.tu-системс.рф Телефоны: +7 (495) 7774788, 7489626, (925) 5007155, 54, 65 Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by





OOO «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.tu-системс.рф Телефоны: +7 (495) 7774788, 7489626, (925) 5007155, 54, 65
Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

The new Mann Tek Cryogenic breakaway coupling- cable release type is a further development of our reliable breaking pin version which are successfully used world wide in many different types of applications. The cable release type coupling acts as a safety solution in the supply line of mobile transfer systems, preventing damage to the environment and facilities due to unexpected movement.

The widest range of breakaway couplings gives full flexibility of the cryogenic product range and offers a safe solution for any applications of LNG transfer.

With the use of Mann Tek's breakaways in combination with our reliable and well proven dry cryogenic couplings we offer the market an unbeatable, safe and easy to use combinations for any LNG transfer application.



## **ADVANTAGES**

- High quality processing
- Sturdy design
- Low wear
- · Tamper-proof
- Safe operation
- Release angle up to 90° through two pressure clamps on activation mechanism
- Maintenance-friendly
- Wide spectrum of applications

## **APPLICATIONS**

#### Industrial

Plant engineering Power plant construction Chemical industry Food processing industry Process technology Tank cleaning

### Filling systems

Railroads and wagons Tanktrucks Ships Tank containers Liquefied gas ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф
Телефоны: +7 (495) 7774788, 7489626, (925) 5007155, 54, 65
Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

# **TECHNICAL INFORMATION**

Sizes:

1" (DN25) to 6" (DN150) Other on request.

### **Materials:**

Stainless steel

# **Seals:**

**PTFE** 

# Maximum working pressure:

MWP PN 10 / 16 / 25. MAWP 150 / 300 psi

### **Connections:**

NPT-Thread, EN1092 (DIN) - or ANSI B16.5 - Flanges. Other on request.

#### **DESIGN CALCULATION**

The calculation of the required wall thickness is made according to SS-EN 12516-2. Design temperature range: -200°C to +65°C

Design pressure: PS25 bar

# **MATERIAL REQUIRMENTS**


The material we specified is suitable for the use with LNG and nitrogen down to -200°C.

The specification is according to the recommendations in EN1160.

| Size | Nominal size | WP   | Temperature range |
|------|--------------|------|-------------------|
| 1"   | DN25         | WP25 | Minimum -200°C    |
| 2"   | DN50         | WP50 | Minimum -200°C    |
| 4"   | DN100        | PN25 | Minimum -200°C    |
| 6"   | DN150        | PN16 | Minimum -200°C    |
| 8"   | DN200        | PN16 | Minimum -200°C    |

| Material | Specification |
|----------|---------------|
| 1.4404   | EN10272       |
| 316L     | ANSI A479     |





 ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

 Интернет: www.tisys.ru
 www.tisys.kz
 www.tisys.by
 www.tu-системс.рф

 Телефоны: +7 (495) 7774788, 7489626, (925) 5007155, 54, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

### **About**

Mann Tek is a Swedish manufacturer and supplier of Dry Cryogenic Couplings and has during the past years made a signicant market leading breakthrough in LNG. We offer a dry cryogenic coupling which operates by our system "push and turn-free ow" and "turn and pull-closed".

We have supplied couplings for several passenger ferries and OSV's, which runs on LNG, and the worlds first LNG-bunker ship. In 2015 a new ISO-standard, in regards to LNG as fuel to ship was published. Mann Tek Dry Cryogenic Coupling is the first manufacturer world wide, to offer a fully compatible series of products in this new standard, ISO/TS 18683:2015





With more than twenty years of knowledge and experience in the industry it has accumulated extensive expertise about applications in many types of variations in which our couplings have been, and can be used, with excellent results.

We constantly strive to develop and improve the performance and design of our products, to meet changes, new market demands and standards. Which, today, is what made us market leading. Our couplings are the obvious choice when certifications and product approvals are required, anywhere in the world.

Mann Tek® is certfied to ISO9001:2008

# **Company Approvals**





Mann-Tek is a certified ISO9001-company.